TTM-339 Loader Soft Setup Manual

TOHO ELECTRONICS INC.

1. Before installing the application	1
1.1 Introduction	1
1.2 OS Confirmation	1
1.3 NET Framework 3.5 confirmation	1
2. Setup of application software (Windows 7, 8, 8.1)	2
2.1 Setup	2
2.2 Re-setup	7
2.3 Uninstallation	
3. Method of installing ".NET Framework3.5" manually	13
3.1 Setup flow	14
3.2 "dotNetFx35setup.exe" Installation	

1. Before installing the application

1.1 Introduction

The Setup Manual was made based on Window XP. If the operating system is Windows Vista, Windows 7, 8 or 8.1, the sample display will differ slightly.

1.2 OS Confirmation

The personal computer to which the loader software shall be installed will have to have either Windows Vista, Windows 7, Windows 8 or 8.1 pre-installed.

For Windows Vista, it is recommended to have Service Pack 1 or later version installed.

For Windows 7, it is recommended to have Service Pack 1 or later version installed.

For Windows 8, it is recommended to have Windows 8.1 installed.

For detailed information on how to set-up Windows Vista Service Pack 1, please refer to the following URL.

http://support.microsoft.com/kb/935791

For detailed information on how to set-up Windows 7 Service Pack 1, please refer to the following URL.

http://support.microsoft.com/ph/14019

1.3 NET Framework 3.5 confirmation

".NET Framework 3.5" is an essential component for the loader software. Please refer to "3.Method of installing ".NET Framework3.5" manually" when setting up ".NET Framework 3.5" manually.

2. Setup of application software (Windows 7, 8, 8.1)

 $2.1~{
m Setup}$

When the setup file (Setup.exe) is double-clicked, the setup wizard will start-up.

Please setup according to the instruction on the screen.

When the setup of an essential component has completed, or, its setup had already been completed, the "Welcome to the TTM-339 Loader Soft Setup Wizard" screen as shown in Figure2-1 will appear.

뷙 TTM-339 Loader Soft		
Welcome to the TTM-3 Wizard	39 Loader Soft Sel	tup
The installer will guide you through the computer.	e steps required to install TTM-33	9 Loader Soft on your
WARNING: This computer program is Unauthorized duplication or distribution or criminal penalties, and will be prose	protected by copyright law and i n of this program, or any portion o cuted to the maximum extent pos	nternational treaties. of it, may result in severe civil ssible under the law.
	Cancel	Back Next >

Figure2-1 "Welcome to the TTM-339 Loader Soft Setup Wizard" (setup wizard start-up screen)

When "Next" button is clicked, "Select Installation Folder" screen as shown in Figure2-2 will appear.

Confirm the installation folder and select the user who will use this application, and then click the "Next" button.

Select Installation Folder			
he installer will install TTM-339 Loader Soft to the fo	bllowing folder		
o install in this folder, click "Next". To install to a dif	ferent folder, i	enter it below	or click "Browse".
<u>F</u> older:			
C:\Program Files\TOHO\TTM-339 Loader Soft\			B <u>r</u> owse
			<u>D</u> isk Cost
	one who uses	this compute	t.

Figure 2-2 "Select Installation Folder" screen

The short cut icon will appear on the start menu or on the desktop of all the user accounts when "Everyone" is selected.

The short cut will appear only for a logged-in user when "Just me" is selected.

"Confirm Installation" screen as shown in Figure2-3 will appear.

 $Please \ click \ "Next" \ button \ to \ start \ the \ installation.$

J TTM-339 Loader Soft	
Confirm Installation	
The installer is ready to install TTM-339 Loader Soft on your corr Click "Next" to start the installation.	nputer.
Cancel	< <u>B</u> ack <u>N</u> ext >

Figure 2-3 "Confirm Installation" screen

Figure2-4 「User Account Control」 screen will be indicated. Click 「Yes」 button to continue the installation



Figure2-4 User Account Control

"Installing TTM-339 Loader Soft screen as shown in Figure2-5 will appear. Please wait for a while until the processing is done.

뷙 TTM-339 Loader Soft	
Installing TTM-339 Loader Soft	
TTM-339 Loader Soft is being installed.	
Please wait	
Cancel	(Back Next)

Figure2-5 "Installing TTM-339 Loader Soft" screen



Figure 2-6 "Installation complete" screen

"Installation complete" screen as shown in Figure2-6 notifies the completion of the installation. Please click "Close" button to exit the installation.

X Using "Windows Update", check for any new important updates of .NET Framework. For details on .NET Framework, please refer to the Microsoft Homepage.

 $\underline{http://msdn.microsoft.com/en-us/netframework/default.aspx}$

2.2 Re-setup

When the setup file (Setup.exe) is double-clicked on the personal computer in which the setup has been done, the "Welcome to the TTM-339 Loader Soft Setup Wizard" as shown in Figure2-7 will appear.

In case the error message as shown in Figure2-8 appears, delete first the application software from the "Add or Remove Programs" of the "Control panel" before re-installing the software. Please refer to 2.3"Uninstallation" for details.

TTM-339 Loader Soft	
Welcome to the TTM-339 Loader Soft Setup Wizard	
Select whether you want to repair or remove TTM-339 Loader Soft.	
e Bepair TTM-339 Loader Soft	
Remove TTM-339 Loader Soft	
Cancel < <u>B</u> ack	Einish

Figure2-7 TTM-339 Loader Soft Set-Up Wizard





1). Repair

Select "Repair of TTM-339 Loader Soft" and click "Completion" button for Repair Setup. The screen as shown in Figure2-9 will appear and the repair setup will be executed. When the repair setup is completed normally, the screen as shown in Figure2-10 will appear.

늻 TTM-339 Loader Soft	
Installing TTM-339 Loader Soft	
TTM-339 Loader Soft is being installed.	
Please wait	
Cancel	

Figure 2-9 Install in progress



Figure2-10 Installation Completed

2. Deletion

Select "Remove TTM Series Loader" and click "Finish" button to uninstall.

The screen as shown in Figure2-11 will appear and the removal process will take place. When deletion is completed normally, the screen as shown in Figure2-12 will appear.

TTM-339 Loader Soft	
Removing TTM-339 Loader Soft	
TTM-339 Loader Soft is being removed.	
Please wait	
Cancel	Rack Neuty

Figure2-11 Uninstallation in progress



Figure 2-12 Uninstallation Completed

2.3 Uninstallation

The uninstallation of the application software is executed from "Uninstall a Programs" of the control panel.

Open the control panel from the start menu and open "Uninstall Programs".



Figure2-13 Control panel

When "TTM-339 Loader Soft" is selected from Figure2-14 \lceil "Uninstall or change a Program" dialog], Figure2-15 \lceil Delete confirmation] will be indicated.

Control Panel Home View installed updates	Uninstall or cha To uninstall a progra	nge a program m, select it from the list ar	nd then click Uninstall, Ch	ange, or Repair.	
off	Organize 🔹 👔 👻				
	Name	Publisher	Installed On	Size	Version
	TTM-339 Loader Soft	тоно	12/19/2011	8.63 MB	1.0.0
	Currently in	stalled programs Total	size: 35.3 MB		

Figure 2-14 "Uninstall or change a Program" dialog

Click "Yes" button to delete, click "No" button to cancel.





Figure2-16 [User Account Control] screen will be indicated.

Click 「Yes」 button to continue the installation.

D	unknown pul	blisher to make changes to this computer
	Program name: Publisher: File origin:	C:\Windows\Installer\9662a.msi Unknown Hard drive on this computer
e) s	how <u>d</u> etails	<u>Y</u> es <u>N</u> o

Figure2-16 User Account Control

When "Yes" is selected, message as shown in Figure 2-17 will appear to show the status.

📕 Please wait	t while Windows c	onfigures TTM-33	9 Loader Soft
187			
			Cancel

Figure 2-17 Uninstallation status

Figure 2-17 will disappear automatically when the uninstallation procedure is completed.

Confirm that item of "TTM-339 Loader Soft" has been deleted from Figure2-14 "Uninstall or change a Program" dialog.

Moreover, the short-cut icon at the start menu and desktop will also be deleted.

3. Method of installing ".NET Framework3.5" manually

To make the TTM-339 Loader Soft, it is necessary for the computer to have ".Net Framework3.5". Some computers have the .NET Framework 3.5 installed already. To check whether this component has been installed or not, open control panel, then open add/delete program.

Please see the homepage of Microsoft regarding the details of .NET Framework 3.5. http://msdn.microsoft.com/en-us/netframework/default.aspx

① Microsoft .NET Framework Version 3.5 Package that can be redistributed (x86) <u>http://www.microsoft.com/download/en/details.aspx?id=22</u> dotNetFx35setup.exe

Refer to following URL for the details of setup method. Moreover, these setup files can be downloaded from the following URL. <u>http://www.microsoft.com/downloads/details.aspx?familyid=0856EACB-4362-4B0D-8EDD-AAB15C5</u> <u>E04F5&displaylang=en</u>

NOTE: "Windows Installer 3.1" may be necessary to install .NET Framework 3.5. Install Windows Installer 3.1 in case the setup is interrupted when "dotNetFx35setup.exe" is executed.

WindowsInstaller-KB893803-v2-x86.exe

Refer to the following URL for details of the setup method.

Moreover, these setup files can be downloaded from the following URL.

3.1 Setup flow



dotNetFx35setup Microsoft .NET Framework 3.5... Microsoft Corporation

> Execution of "dotNetFx35setup.exe" file. Double-click the icon to start.



Execution of "TTM339SetupEn.msi" file. Double-click the icon to start.

* In case your personal computer is already installed with .Net Framework3.5, only the installation of the Loader Software Setup (LoaderSetup.msi) is needed.

- $3.2 \ "dotNetFx35setup.exe" \ Installation$
 - ①. When dotnetfx.exe is double-clicked, the setup wizard will start-up.

Setup according to the instruction on the screen.

Figure 3-1 \lceil Extracting file display \rfloor will be displayed. Wait until the process is completed.



Figure 3-1 Extracting file display

②. Take note of the License Agreement and then click "Install" after checking "I accept the terms of the License Agreement".

Microsoft .NET Framewo	k 3.5 SP1 Setup	
Welcome to Setup	.net	Framework
Be sure to carefully read and und license terms. You must accept th	erstand all the rights and restriction e license terms before you can insta	s described in the all the software.
MICROSOFT SOF		
⊙I have read and ACCEPT the t	erms of the License Agreement	
OIDO NOT ACCEPT the terms of	f the License Agreement	
Send information about my set Details regarding the <u>data collecti</u>	up experiences to Microsoft Corpor on policy	ation.
Download File Size:	55 MB	
Download Time Estimate:	2 hr 15 min (56 kbps) 14 min (512 kbps)	
		Install > Cancel

Figure 3-2 End-User License Agreement (Confirmation screen of License Agreement)

③. The installation will start when "Install" is clicked.

Wait for a while until the installation is completed (while Figure 3-3 and Figure 3-6 are being displayed).

Setup	
•	Setup is configuring the install. This may take a minute or two.

Figure 3-3 Installation preparation display

Microsoft .NET Framework 3.5 SP1 Se	tup 🔲 🗖 🔀
Download and Install Progress	.net Framework
Downloading:	
Status:	
Total Dowilload Progress.	
	Cancel

Figure3-4 Installing components screen

XIn case a screen as shown in Figure 3-5 appears while waiting for the completion of installation, there is a possibility that the setup has previously been done. In this case, proceed to setup for the next program.

Microsoft .NET Framework 3.5 SP1 Setup	
Setup cannot continue because this version of the .NET Framework is incompat	tible with a previously installed one. For more
information, see http://support.microsoft.com/support/kb/articles/q312/5/00.a	ssp

Figure3-5 Display appeared during installation

④. When the installation is completed, a screen as shown in Figure3-6 will appear, so click "Exit" button.



Figure3-6 "Setup Complete" Screen

*Using "Windows Update", check for any new important updates of .NET Frame work. For details on .NET Framework3.5, please refer to the Microsoft Homepage.

 $\underline{http://msdn.microsoft.com/en-us/netframework/default.aspx}$

Memo

TTM-339 Loader Soft

Setup Manual

Rev. 2.00 issue on June 1, 2015

ISSUE BY:

TOHO ELECTRONICS INC.

2-4-3 Nishihashimoto, Midori-ku, Sagamihara-shi, Kanagawa 252-0131, JAPAN Phone: +81-42-700-2100 Facsimile: +81-42-700-2112